

**louis
poulsen**



LP Slim Box

LP
Slim
Box

Design by Louis Poulsen



Louis Poulsen introduces the LP Slim Box to the LP Slim Round family, expanding the series of distinct fixtures suitable for open plan offices, reception areas, and meeting rooms etc. With the Slim series, Louis Poulsen has designed modern, yet classic looking lamps that accommodate the need for great working light as well as an overall soft illumination, creating both a comfortable and aesthetic pleasing milieu. With further variants of the LP Slim lamps, it is even easier to effectively illuminate a variety of spaces, while adding a sleek design layer to any type of interior decoration. Where the LP Slim Box is available in both a single and double length, the LP Slim Round is available in three different sizes and can be mounted in four different ways, making the Slim family suitable in both large and smaller settings.





The slim, rectangular housing frames a high-efficient light unit. Emitting a primarily downward directed light the fixture also has an indirect light component ensuring illumination of ceilings. The light egress emphasises design details in the housing, while the fixture is also available as a double length unit creating further possibilities for splendid illumination in a vast range of environments.



LP Slim Box


Design by Louis Poulsen

Light distribution
diagram




LP Slim Box Single

Mounting	Suspended
Size (l, w, h)	690mm x 150mm x 47mm
Standard colours	White / Black / Dark Aluminium Raw
Standard output (lm) average value	3200
High output (lm) average value	4350
Up/down distribution (↑↓ / %)	25 / 75
Power consumption (standard)	33W
Efficiency lm/W (standard output)	97
Power consumption (High output)	46W
Efficiency lm/W (High output) average	95
CCT (Fixed CCT)	3000K / 4000K
CCT (Kelvin adjustable)	2700K – 5700K
CRI	>90
Diffuser options	Opal / Micro prismatic
UGR (Opal / MP) (standard output)	<22 / <19
UGR (Opal / MP) (High output)	<23 / <20
Dimming (Europe / US / JP)	Dali & Bluetooth / 0-10V & Bluetooth / Dali



Black



White



Dark Aluminium Raw

LP Slim Box Double

Mounting	Suspended
Size (l, w, h)	1390mm x 150mm x 47mm
Standard colours	White / Black / Dark Aluminium Raw
Standard output (lm) average value	5200
High output (lm) average value	N/A
Up/down distribution (↑↓ / %)	25 / 75
Power consumption (standard)	52W
Efficiency lm/W (standard output)	100
Power consumption (High-output)	N/A
Efficiency lm/W (High-output) average	N/A
CCT (Fixed CCT)	3000K / 4000K
CCT (Kelvin adjustable)	2700K – 5700K
CRI	>90
Diffuser options	Opal / Micro prismatic
UGR (Opal / MP) (standard output)	<22 / <19
UGR (Opal / MP) (High output)	N/A
Dimming (Europe / US / JP)	Dali & Bluetooth / 0-10V & Bluetooth / Dali



Black



White



Dark Aluminium Raw

Simple and distinct
design with clear
family relation
to the slim family



LP Slim Box

Design by Louis Poulsen



louispoulsen.com